


Information Returns Intake System (IRIS) Working Group Meeting

Date: October 09, 2024





Agenda

- > Welcome
- Updates
- > ATS
- > API

Mics and Chat have been muted.

Deck will be posted to www.irs.gov/IRIS after the meeting.


During today's meeting we will open the chat to answer questions relating to the IRIS system only. Please keep your questions within the IRIS scope. If you have a question that refers to some of our other Information Return Filing options, you can find more information at www.irs.gov/filing/e-file-information-returns.

We will do our best to address IRIS questions as they are posted in the chat. We may not be able to provide a response to some IRIS questions during the meeting as research may be needed. If we do not get to your IRIS question today, we will post the answer to IRIS related WGM questions at www.irs.gov/e-file-providers/iris-working-group-meetings-and-notes.

Thank you for your participation and questions.



IRIS Updates





TY2024 Schema Updates

Tax year/version	Form series	Date available in SOR	ATS start date	Production date
2024v1.0	Forms and extension: 1097-BTC, 1098, 1098-C, 1098-E, 1098-F, 1098-Q, 1098-T,1099-A, 1099-B,1099-C, 1099-CAP, 1099- DIV, 1099-G, 1099-H, 1099-INT, 1099-K, 1099-LS, 1099-LTC, 1099- MISC, 1099-NEC, 1099-OID, 1099- PATR, 1099-Q, 1099-QA, 1099-R, 1099-S, 1099-SA, 1099-SB, 3921, 3922, 5498, 5498-ESA, 5498-SA, W- 2G, 8809	7/18/2024	11/04/2024	TBD
2024v1.1	Schema changes are reflected in v1.1. No change to TY2024 business rules v1.0.	8/29/2024	11/04/2024	TBD

The next SOR drop will have the same schema with minor business rule updates.



Resource Updates

Publication 5717 - Information Returns Intake System (IRIS) Taxpayer Portal User Guide	Processing Year 2025 is available at <u>www.irs.gov/iris</u> .
Publication 5718 - Information Returns Intake System (IRIS) Electronic Filing Application to Application (A2A) Specifications	Processing Year 2025 will be published soon. We will publish a QuickAlerts bulletin when the publication becomes available.
Publication 5719 - Information Returns Intake System (IRIS) Test Package for Information Returns	Processing Year 2025 will be published soon. We will publish a QuickAlerts bulletin when the publication becomes available.

IRIS A2A ATS examples	Tax year 2024/ Processing Year 2025 IRIS ATS examples are available at <u>www.irs.gov/irisats</u> .
-----------------------	---



New Forms

These forms will be added to IRIS Application to Application (A2A) intake for TY24/PY25 beginning in January 2025.

Form	Title	
1097-BTC	Bond Tax Credit	
1098	Mortgage Interest Statement	
1098-C	Contributions of Motor Vehicles, Boats, and Airplanes	
1098-E	Student Loan Interest Statement	
1098-F	Fines, Penalties and Other Amounts	
1098-Q	Qualifying Longevity Annuity Contract Information	
1098-T	Tuition Statement	
3291	Exercise of an Incentive Stock Option Under Section 422(b)	
3922	Transfer of Stock Acquired Through an Employee Stock Purchase Plan under Section 423(c)	
5498	IRA Contribution Information	
5498-ESA	Coverdell ESA Contribution Information	
5498-SA	HSA, Archer MSA, or Medicare Advantage MSA Information	
W-2G	Certain Gambling Winnings	



New Forms (cont.)


No action is needed to add the 13 forms to your IRIS profile

- > No additional IRIS TCC is needed
- The "Forms and Transmission Method" section of the IRIS TCC application will be automatically updated to reflect the addition of the 13 forms
- "Form 1099 Series" will become "Forms 1097, 1098, 1099, 3921, 3922, 5498, and W-2G"

orm & Transmission Me	thod		
Role	Forms	Transmission Method	Add TCC
Transmitter	Form 1099 Series	AZ	blank
Transmitter	Form 1099 Series	Portal	blank
Software Developer	Form 1099 Series	A2A	blank



TY24/PY25 IRIS A2A ATS







IRIS Assurance Testing System (ATS) refers to the process used to test software and electronic transmissions prior to transmitting into the IRIS A2A Production environment.

- > TY24/PY25 IRIS ATS is scheduled to open November 4, 2024.
- Software Developers must pass IRIS ATS for the tax year that the software package(s) will support.
- Software Developers are required to test every year.
- Transmitters/Issuers must pass a one-time communication test.



TY24/PY25 IRIS ATS Changes

- No scenarios will be provided.
- Examples will be provided at <u>www.irs.gov/irisats</u>
- Each submission must have a status of "Accepted" to pass ATS successfully.
- Software developers will create files using their own test data.
 - 1 Transmission, 5 submissions w/2 unique recipients for a total of 10 records must be included in the test file.
 - If participating in CF/SF program at least one record should include this information.
 - If supporting corrections, a second transmission with one submission and one record is needed.
- > Transmitters will use their own test data to create a communications test.
 - Must use approved software that has passed IRIS ATS.
 - 1 Transmission, 1 submission w/2 unique recipients must be included in the test file.



IRIS ATS Examples

- For TY24/PY25 there are 34 forms that can be filed using IRIS.
- > The example document contains a table for each form.
- Each table includes the required data element fields that must be included in the test file.
- All indicators are required fields; however, they are not included in the table.
- Refer to the schema and business rules to ensure all requirements and conditions are met for an accepted submission.
- Each record in the test file must contain at least 1 payment amount.
- Always use your Transmitter Name and EIN from the IRIS TCC application in the Transmitter Group.
- > All Recipient TINS must begin with three zeros.
 - Ex: 000-11-1111 or 00-0111111
- IRIS Schemas use "Issuer" to identify Payer/Filer and "Recipient" to identify Payee.



www.IRS.gov/IRIS

I RIS 5-digit code identifies your business when you e-file forms, it can only be used for IRIS.

Apply for an IRIS Taxpayer Portal TCC

Sign in

If you have an IRIS TCC, sign in to the IRIS Taxpayer Portal.

IRIS Taxpayer Portal User Guide, Publication 5717 PDF

E-file with software through IRIS Application to Application (A2A)

If you have a third-party software or service or are developing software, you can use IRIS A2A to e-file thousands of returns (up to 100 MB at a time).

Steps to use IRIS A2A

To start using IRIS A2A with software or a third-party service, follow these steps:

- 1. Apply for an IRIS A2A Transmitter Control Code (TCC)
- 2. Get an API Client ID
- 3. Get a schema package
- 4. Submit IRIS Assurance Testing StatutAIS) transmissions

After you successfully submit ATS transmissions, you can use IRIS A2A to transmit return data.

.....

IRIS help

Get support with IRIS:

Help desk

Call Mon. – Fri. 7:30 a.m. · Eastern time.

- Toll-free: <u>866-937-413</u>
- International: <u>470-76</u>!
- TTY/TDD: <u>866-937-41</u>; your choice of relay.

state agencies.

Related

Working group most the meetings and notes developers, transmitters To start using IRIS A2A with software or a third-party service, follow these steps:

- 1. Apply for an IRIS A2A Transmitter Control Code (TCC)
- 2. Get an API Client ID
- 3. Get a schema package

Steps to use IRIS A2A

4. Submit IRIS Assurance Testing System (ATS) transmissions

After you successfully submit ATS transmissions, you can use IRIS A2A to transmit return data.

IRIS Assurance Testing System (ATS)

Enrolled agents	Find ATS examples for the <u>Information Return Intake System (IRIS)</u> . These apply to IRIS application to application (A2A).	IRIS
Annual Filing Season Program participants	IRIS A2A ATS testing begins November 2024 for information returns that will be processed in 2025. To receive a schema package, <u>apply for an IRIS TCC</u> . Find <u>IRIS</u>	Get si
Enrolled retirement plan agents	schemas and business rules. IRIS communication test uses your Transmitter TCC. If testing software, use your	Help Call M
Certified Professional Employer Organization (CPEO)	Software Developer (SWD) TCC. Always use your Transmitter Name and EIN from the application.	Easte • To
Enrolled actuaries	IRIS A2A ATS known issues and solutions	• In • T1
E-file providers	IRIS A2A ATS examples Download examples by tax year:	yc
Modernized e-File	Tax year 2024 IRIS ATS examples PDF	Worl Find r
Become an authorized e-file provider	Tax year 2023 IRIS ATS scenarios PDF Tax year 2022 IRIS ATS scenarios PDF	devel
Authorized IRS E-file Provider	Publications	



Example Form 1098-E

The following form table includes the required fields that must contain values. All indicators are required fields; however, they are not listed below. Must contain at least 1 payment amount.

Entity Information or Line Number	Description
Issuer	Recipient's/Lender's Name, Street Address, City or Town, State or Province, Country, ZIP or Foreign Postal Code, and Telephone Number
Issuer	Recipient's TIN
Recipient	Borrower's TIN
Recipient	Borrower's Name, Street Address (including apt. no.) City or Town, State or Province, Country, and ZIP or Foreign Postal Code
Recipient	Account Number Note: Data is created by the filer. Must be present if you have multiple 1099s with the same recipient TIN
1	Student loan interest received by lender

This form has an "Origination Fees/ Capitalized Interest Indicator" which is present in the schema. A value of either "1" or "0" must be present.




Passing ATS

- Each submission must have a status of "Accepted" to pass ATS successfully.
- Contact the Help Desk for a final review when all submissions have an "Accepted" status.
- When contacting the Help Desk have the following:
 - Receipt Id(s) to be reviewed
 - ➤ TCC
 - Software Id
 - Contact information including email address
- The Help Desk will assign an incident number which should be referenced for all your ATS review communications.
- Once the Software Developer passes IRIS ATS, the Software Package Status and Software ID Status will move from "Test" to "Production".
- IRS will not send a notification.
 - > To verify the status change, review your IRIS Application for TCC online.



API Client ID





API Client ID

- The IRIS A2A Channel uses the API Client ID to authenticate and authorize access to IRIS A2A services.
- > You can use your existing Client ID, if you already have one*.
 - Go to the 'Application Details' page on your existing API Client ID Application.
 - Select the edit icon.
 - Check the 'IRIS' box under 'Select APIs'.
 - Resubmit your application.
- > Anyone submitting through IRIS A2A must have an API Client ID.
 - Software Developers
 - Transmitters
 - Issuers

***Exception:** You must create a new Client ID if your existing Client ID Application is only for Income Verification Express Services (IVES) Forms Based Processing (FBP).



API Client ID Application

- Access your e-Services application page.
- Select Organization page: Choose individual.

An official website of the United States Government

Select Your Organization

Select the organization you will represent in this session. Each item below represents an organization for which you are authorized to perform work. By selecting an organization, you are logging in as an authorized user of that organization and will be able to perform work for only that organization. You may represent yourself by selecting Individual. You may filter organizations to narrow down the choices based on matching text.

Individual

Select "Individual" to represent yourself as an individual. No organization-specific authorizations will be granted.



Organization Roles

Select an Organization to represent a specific role for your organization's location.

Filter Organizations

Filter by business nam	ne, address, or application type		Show 10 🗸 entries
Selection	Organization	*	Application Type 🕴
Select			IRIS TCC

Showing 1 to 1 of 1 entries


Previous 1 Next





New Application

Choose 'New Application' drop down and select 'API Client ID Application'.





F 1 1 1 1	. .	
FILM	Informa	ntion

● EIN ○ SSN	
Employer Identification Number (EIN)*	
What legal name does this firm operate under* Firm/Organization Name Person Name	
Firm/Organization Legal Name*	
Doing Business As (Trade/Company Name)	

Business Phone

Phone Country Code* 001-United States/Canada

What Tax ID does this firm operate under*

Phone Number*

~

Business Address (Physical Location)

Country*

United States 🗸 🗸

Address Line 1*

Address Line 2

Address Line 3

City*

Province/State/U.S. Territory*	
Select	~

Postal Code*

Mailing Address

Is your mailing address different from your business address O Yes
No



Application Details

_								
API Label	Client ID	API Selected	Integration Type	Redirect URL	Status	View	Edit	Delete
			No records found.					
Showing Items 0 to 0 o	fO					«Prev Pa	age 1 🗸	Next>>>
NEW API CLIENT	ID							
C PREVIOUS	CONTINUE >							Cancel

Select the "NEW API CLIENT ID" button.



Add API Client Info

The following fields are required in your JWK: kid, kty, use, n, e, x5t, x5c. The "kty" field should be equal to "RSA".

Select the "Save" button to store the entered application details.

Required fields are marked with an asterisk (*) and must be completed to submit the form.

API	Label:"	<u> </u>

Select API: SOR _ TDS _ TINM _ FBP _ IRIS 2

API Status:"

Select Provider Type: 4

JSON Web Key (JWK):*

5				
SAVE	>			Cancel



API Client Info

1	API Label	Self defined
2	Select API	Check "IRIS"
3	API Status	Active
4	Provider Type	IRIS can only be "A2A"
5	Json Web Key (JWK)	 JWK attributes can only include the following in this order: "kty": Key Type (must be RSA) "kid": Key ID "use": "sig" Public Key Use "n": the modulus "e": "AQAB" the public exponent "x5c": X. 509 Certificate Chain "x5t": X.509 Certificate SHA-1 Thumbprint Remove any other attribute names added by your JWK tool that are not in this list.

Should contain X.509 certificate using both "x5t" (X.509 SHA-1 Thumbprint) and "x5c" (X.509 certificate Chain) parameters.

- You are not allowed to use self-signed certificates.
- You can use the same public certificate as used for other IRS programs such as MeF or AIR.



A2A Consent

After you obtain your API client ID, you must complete the A2A Consent process outlined in Publication 5718, Section 3.1.2 A2A Consent.

- Login to IRS Consent App: https://la.www4.irs.gov/esrv/consent/
- From the Select Your Organization page, select the organization associated with your IRIS TCC Application.
- Select A2A Setup on the API Authorization Management page

IRS	A	ΡI	Αı	uth	nor	izatio	n	Ν	Ла	na	age	m	en	t	
													_		

Client ID.	
API Consents View and/or Revoke the API Client IDs you have granted access	A2A Setup Setup A2A authorizations for your user account and your organization's Client ID
Review	Setup

- > Enter your IRIS A2A Client ID on the A2A Authorization page.
 - Note: If you have multiple Client IDs, please use the Client ID that was assigned to you for IRIS. You can sign into your API Client ID Application to retrieve your IRIS Client ID on the Application Summary page.
- Grant access to TEST, which is needed to test software and electronic transmissions in the IRIS ATS environment.
- Series of the production of the productin of the production of the production of the production of the

A2A Client				
A2A Enviro	onment (?)			
Select				
Cancel	Grant Access			

- Retrieve your Full IRIS UserID from the A2A Setup Complete page.
 - > Your Full IRIS UserID must be used to generate access tokens.



A2A Authorization Page

An official website of the United States Government

۵ IRS

Contact Us 🗗 | Profile 🗗 | Switch Organization 🗗 | Logout 🗘

Home / A2A Authorization

A2A Authorization

Setting up A2A Authorization will allow A2A processes to access IRS e-Services data on your behalf. By granting this access the A2A client ID will have the ability to run the following types of transactions on your behalf.

- Request Client Transcripts
- · Perform TIN Matching request
- Retrieve messages from your Secure Object Repository (SOR)

Impact of granting access

If you choose to grant the software product access to your e-Services data, you also agree to provide the IRS upon request with the name and contact information of the software product. If you use the services of a software product and there are reasonable grounds to suspect the software product is not following required security practices and protecting taxpayer information from unauthorized disclosure, misuse, alteration, destruction, or is otherwise compromising the integrity of the data, the IRS has the right to suspend or terminate your account and refuse all current or future use of e-Services.

It is the legal responsibility of government, businesses, organizations, and individuals that receive, maintain, share, transmit, or store taxpayers' personal information to safeguard taxpayer data. Taxpayer data is defined as any information that is obtained or used in the preparation of a tax return (e.g., income statements, notes taken in a meeting or recorded conversation, IRS transcripts). Putting safeguards in place to protect taxpayer information helps prevent fraud and identity theft and enhances customer confidence and trust.

All e-Services users should refer to Publication 4557, Safeguarding Taxpayer Data: A Guide for Your Business, on <u>www.irs.gov</u> for more information about your responsibilities for safeguarding taxpayer data and to learn more about developing a security program. Many federal, state, city, and local government laws and regulations are in place to safeguard taxpayer data. Failure to adhere to your responsibilities for safeguarding taxpayer data.

Your responsibility

You are responsible for all activities that occur under your account. To prevent unauthorized access ensure access is granted to trusted organizations. We reserve the right at any time, with or without notice, to require a change to or revoke any username, password, and/or PIN created by you. You are responsible for protecting and keeping any confidential information you access through e-Services.

A2A Client	ID 💿		
A2A Enviro	nment 🕜		
Select			
Cancel	Grant Access		

A2A Client ID

Enter your IRIS A2A Client ID

A2A Environment:

- TEST: IRIS ATS environment.
- PROD: IRIS Production environment.



Access Token Generation

Transmitters will use JSON WEB TOKENS (JWTs) for both Client Authentication and Authorization Grants to request an access token and refresh token.

- Two JWTs must be provided and will be exchanged for access tokens.
 - Client JWT Represents the client and will be used to authenticate the client.
 - > User JWT Represents the resource owner/user that the client is requesting an access token for.

The JWTs must be signed and in JWT token format using the following:

Header

- \succ kid (key identifier) Identifies the key the client used to sign the JWT.
 - > The kid should match the kid that was provided in the JWK file on your API Client ID Application.
- \succ alg (algorithm) Identifies the algorithm used to sign the JWT.
 - > RS256 is the supported/expected algorithm.

Payload


- > iss (issuer) Identifies who issues the token. Must include the Client ID obtained at registration.
- > sub (subject) Subject of the token. Must include:
 - > The Client ID for Client JWT token type
 - > The User ID for User JWT token type
- > aud (audience) the IRS authorization server. The token endpoint of the auth server
- > lat (issued at time) Optional. Issued at time. Numeric value of the time the token was created
- > exp (expiration time) Numeric value of the time when the token expires. It must be valid for 15 minutes
- jti (JWT ID) Required. Provides unique identifier for the JWT. It prevents the JWT from being replayed. This is required by the IRS API Gateway.


The JWT Grant type request will have the following parameters:


- grant_type required, value should be "jwt-bearer"
- Assertion required, JWT value
- Client assertion type required, value should also be "jwt-bearer"
- Client assertion required, JWT value



Working Group Resources







Forms you can e-file



Questions

Chat is now open for questions.



Help desk

Contact the help desk Monday through Friday 7:30 a.m. – 7:00 p.m. ET. Listen to all menu options.

- Toll-free: 866-937-4130
- International: 470-769-5100
- TTY/TDD: 866-937-4130 The IRS welcomes calls via your choice of relay